

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **KT-Plus**

UFI: 1T10-T08P-100Q-QYD7

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Chemtec Chemicals GmbH

August-Siemsen-Straße 13

D-21521 Dassendorf

Germany

Phone: +49 4104 91897 99

E-Mail: info@ctc-chemtec.de

Informing department: Product safety department

1.4 Emergency telephone number:

Medical Emergency information in case of poisoning:

Poison Information Center Mainz - 24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word **Danger**

Hazard-determining components of labelling:

hexyl D-glucoside

disodium metasilicate

potassium hydroxide

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name **KT-Plus**

(Contd. of page 1)

Precautionary statements

- P280** Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P302+P352** IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310** Immediately call a POISON CENTER/doctor.
- P332+P313** If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions (aqueous solution).

Dangerous components:

CAS: 54549-24-5 EINECS: 259-217-6 Reg.nr.: 01-2119492545-29	hexyl D-glucoside ☞ Eye Dam. 1, H318	2.5-10%
CAS: 160875-66-1 Polymer	2-Propylheptanoethoxylat (5 EO) ☞ Eye Dam. 1, H318	2.5-10%
CAS: 6834-92-0 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium metasilicate ☞ Met. Corr. 1, H290; Skin Corr. 1B, H314; ☠ STOT SE 3, H335	<2.5%
CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33	potassium hydroxide ☞ Met. Corr. 1, H290; Skin Corr. 1A, H314; ☠ Acute Tox. 4, H302	<2.5%

SVHC

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants	≥5 - <15%
-----------------------	-----------

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: Instantly remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name **KT-Plus**

(Contd. of page 2)

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

carbon oxides (CO_x)

organic decomposition products

5.3 Advice for firefighters

Protective equipment:

See section 8.

Wear full protective suit with self-contained breathing apparatus.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Endangered containers in the surrounding area should be cooled with a water-hose.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

Avoid eye and skin contact.

6.2 Environmental precautions:

Dilute with much water.

If large amounts are released, the authorities must be informed.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name KT-Plus

(Contd. of page 3)

Information about protection against explosions and fires: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed. Store in cool, dry conditions.

Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water hazardous substances

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

CAS: 1310-58-3 potassium hydroxide (<2.5%)

WEL Short-term value: 2 mg/m³

DNELs

CAS: 54549-24-5 hexyl D-glucoside

Oral	DNEL (population)	35.7 mg/kg bw/day (Long-term - systemic effects)
Dermal	DNEL (worker)	595,000 mg/kg bw/day (Long-term - systemic effects)
	DNEL (population)	357,000 mg/kg bw/day (Long-term - systemic effects)
Inhalative	DNEL (worker)	420 mg/m ³ (Long-term - systemic effects)
	DNEL (population)	124 mg/m ³ (Long-term - systemic effects)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

Breathing equipment: Not necessary if room is well-ventilated.

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR, recommended thickness of the material: ≥ 0.4 mm, penetration time: ≥ 480 min.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name **KT-Plus**

(Contd. of page 4)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses.

Body protection:

Standard protective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear impenetrable protective clothing against this solvent.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	brownish
Smell:	Characteristic
Odour threshold:	Not determined.

pH-value (10 g/l) at 20 °C:	ca. 11-12
pH-value at 20 °C:	12.5-13.5

Change in condition

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C

Flash point:	Product is non-flammable nor potentially explosive
---------------------	--

Inflammability (solid, gaseous)	Not applicable.
--	-----------------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Self-inflammability:	Product is not selfigniting.
-----------------------------	------------------------------

Explosive properties:	Product is not potentially explosive
------------------------------	--------------------------------------

Critical values for explosion:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure at 20 °C:	23 hPa
----------------------------------	--------

Density at 20 °C	1.05-1.07 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with

Water:	Fully miscible
---------------	----------------

Partition coefficient: n-octanol/water:	Not determined.
--	-----------------

Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name KT-Plus

(Contd. of page 5)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

strong oxidizing agents

Strong acids

10.6 Hazardous decomposition products:

Thermal decomposition can produce a variety of compounds, the precise nature of which will depend on the decomposition conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 23,525-24,578 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name **KT-Plus**

(Contd. of page 6)

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

Uncleaned packagings: Disposal must be made according to official regulations.

Recommendation:

After complete emptying and cleaning, send to be reconditioned or recycled.

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA Void

14.2 UN proper shipping name

ADR, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, IMDG, IATA Void
Class

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 303

Revision: 11.12.2020

Trade name KT-Plus

(Contd. of page 8)

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing data specification sheet: see item 1: Informing department

Abbreviations and acronyms:

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC and RCR= Estimated Exposition/DNEL)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**