

CTC-Cleaner-VLC

STOCK POINTS

Characteristics & Applications

- Effective cleaning agent for removal of lubeoils, gasoil, hydrocarbon products/chemicals, vegetable oils, phthalates, paraffines and odour-intensive chemicals.
- Neutral high cleaning concentrate
- Free of solvents
- Free of acids, alkalis and phosphates.
- No dangerous good in regulation of transport (land, sea and air)

Waste Water Information

- Contains biodegradable surface active agents, complexing agents and additives
- (biodegradable > 90%)
- Approved by MARPOL/IMO in accordance with MEPC.1/Circ.590

Tank Material

- Safe to use on stainless steel and resistant coatings ([see resistance tests](#))

Properties

- Phys. properties : yellow to brownish viscous liquid (2 phases).
- Flash Point : Product is non-flammable
- PH Value : approx. 7
- Spec. gravity : approx. 1
- Storage temp. : -5 to 30° C.
- Foam formation : slightly (foam reduced)
- Solubility in water : complete

Safety Aspects

- Causes serious eye damage
- Consult the Material Safety Data Sheet

Application for use

- Suitable in freshwater and seawater.
- Suitable for recirculation cleaning and injection into the butterworth system.
- Cleaning temperature : 10 - 80° C.
- Concentration in water : 0.2 to 0.4 %

Packing

- canister of 20 ltr.

Asia:
Singapore
Ulsan

China:
Tianjin
Shanghai
Guangzhou

Europe:
Algeciras
Amsterdam
Antwerp
Augusta
Genoa
Hamburg
Istanbul
Kiel
Marseille
Rotterdam

Middle East:
Dubai
Mumbai
Kandla
Port Said/Suez

South Africa:
Durban
Cape Town
Port Elizabeth

South America:
Panama
Buenos Aires
Montevideo
Porto Alegre
Santos

U.S.A.:
Houston
New York

[online MSDS CTC-Cleaner-VLC](#)