

**Asia:**  
Singapore  
Ulsan

**Europe:**  
Algeciras  
Amsterdam  
Antwerp  
Athens  
Genoa  
Hamburg  
Istanbul  
Kiel  
Marseille  
Rotterdam

**Middle East:**  
Dubai  
Mumbai  
Port Said/Suez

**South Africa:**  
Durban  
Cape Town  
Port Elizabeth

**South America:**  
Panama  
Buenos Aires  
Montevideo  
Porto Alegre

**U.S.A.:**  
Houston

**China:**  
Tianjin  
Shanghai  
Guangzhou

## Product Information **KT-AlkaPlus HC**

▪ **The best and strongest there is** ▪

### **Characteristics & Applications**

Multipurpose heavy-duty highly concentrated water based alkaline cleaner for cleaning after coal, pet coke, oily residues, specific ore residues, grease, miscellaneous feedstock, soot and dirt deposits.

It is appropriate with all cleaning methods. It can be applied by brush, hand spray, high and low pressure washing machines, etc.

VOC Free. Contains no solvents = volatile organic compounds

Free of Phosphates

### **Waste Water Information**

Contains readily biodegradable surface active agents and complexing agents

Excellent environmental profile with a low water hazard class 1.

Approved by MARPOL/IMO in accordance with MEPC.1/Circ.590.

In compliance with Marpol Annex 5.

### **Tank Material.**

Safe to use on alkali resistant coatings

KT-AlkaPlus HC is not suitable for Zinc Coatings (strong alkaline cleaner)

### **Properties:**

Phys. properties	: brownish liquid
Flash Point	: non-flammable
PH Value	: pure: 14
Spec. gravity	: approx. 1,11
Storage temp.	: Store at moderate temperatures
Foam formation	: foaming
Solubility in water	: complete (good in any concentration)

### **Safety Aspects**

Causes serious eye damage.

Causes skin irritation.

Consult the Material Safety Data Sheet

### **Application for use:**

To be mixed with freshwater

Recommended concentration for spraying or manual cleaning : 10 - 20%

1 L is normally sufficient to cover 8-10 m<sup>2</sup>

Let the product work for 10-15 minutes.

The surface must remain wet during this period

Thereafter wash it off with fresh- or seawater

Packing: drums of 25, 200 or 208 ltr