

**Asia:**  
Singapore  
Ulsan

**Europe:**  
Algeciras  
Amsterdam  
Antwerp  
Augusta  
Genoa  
Hamburg  
Istanbul  
Kiel  
Marseille  
Rotterdam

**Middle East:**  
Dubai  
Mumbai  
Port Said/Suez

**South Africa:**  
Durban  
Cape Town

**South America:**  
Panama  
Buenos Aires  
Montevideo  
Porto Alegre

**U.S.A.:**  
Houston

**China:**  
Tianjin  
Shanghai  
Guangzhou

# Product info Hold Cleaning

## KT-PLUS HC

### Characteristics & Applications

Multipurpose heavy-duty cleaner for cleaning after coal, pet coke, oily residues, specific ore residues, grease and mineral- or vegetable oil, miscellaneous feedstock and dirt deposits.

None dangerous product with an excellent environmental profile ideal for manual cleaning.

Contains no solvents or volatile organic compounds (VOC free)

No dangerous good in regulation of transport (land, sea and air)

### Waste Water Information

Contains readily biodegradable surface active agents, complexing agents, meta silicate, and potassium hydroxide (biodegradable > 90%).

Excellent environmental profile with a low water hazard class 1.

KT-Plus HC is in compliance with Marpol Annex 5

### Tank Material.

Safe to use on alkali resistant materials and coatings

### Properties:

Phys. properties	: brownish liquid
Flash Point	: non-flammable
PH Value	: pure: >12
Spec. gravity	: approx.. 1,045
Storage temp.	: -3 to 30° C
Foam formation	: slightly foaming
Solubility in freshwater	: complete (good in any concentration)

### Safety Aspects

Causes serious eye damage.

Causes skin irritation.

Consult the Material Safety Data Sheet

### Application for use:

To be mixed with freshwater only

Recommended concentration for spraying or manual cleaning : 5 - 15%

Allow the solution to act for 5-10 minutes thereafter wash the chemicals thoroughly off using high pressure water. Don't let the cleaning solution dry.

Packing: drums of 209 or 218 kg and pails of 20 kg.